

# Flat Sheet - DX51D

## Properties

DX51D Grade Plain Galvanised flat sheet. Sheet can be manufactured up to 6000mm in length. Flat Sheets are suitable for folding, fabrication and welding. Plain galvanised smooth finish surface enhances product features specific appearance.

---

## Applications

Internal Flashings and Fabrication

---

## Base Material

DX51D Hot-Dip Galvanised Steel

---

<b>Thickness</b>	Available in 1.5mm & 2.0mm
<b>Finish</b>	Plain Galvanised
<b>Galvanised Content</b>	Z275
<b>Yield Grade</b>	DX51D
<b>Width</b>	1220mm & 1250mm as standard Bespoke widths on request.
<b>Length</b>	3000mm as standard Bespoke lengths from 1000mm - 6000mm
<b>Weight</b>	16.0kg/m <sup>2</sup>

# Flat Sheet - S280

## Properties

S280 Grade Plain Galvanised flat sheet. Sheet can be manufactured up to 6000mm in length. Flat Sheets are suitable for folding, fabrication and welding. Plain galvanised smooth finish surface enhances product features specific appearance.

---

## Applications

Internal Flashings and Fabrication

---

## Base Material

S280 Hot-Dip Galvanised Steel

---

<b>Thickness</b>	Available in 1.5mm & 2.0mm
<b>Finish</b>	Plain Galvanised
<b>Galvanised Content</b>	Z275
<b>Yield Grade</b>	S280
<b>Width</b>	1220mm & 1250mm as standard Bespoke widths on request.
<b>Length</b>	3000mm as standard Bespoke lengths from 1000mm - 6000mm
<b>Weight</b>	16.0kg/m <sup>2</sup>

# Flat Sheet - S350

## Properties

S350 Grade Plain Galvanised flat sheet. Sheet can be manufactured up to 6000mm in length. Flat Sheets are suitable for folding, fabrication and welding. Plain galvanised smooth finish surface enhances product features specific appearance.

---

## Applications

Internal Flashings and Fabrication

---

## Base Material

S350 Hot-Dip Galvanised Steel

---

<b>Thickness</b>	Available in 0.7mm, 0.9mm & 1.2mm
<b>Finish</b>	Plain Galvanised
<b>Galvanised Content</b>	Z275
<b>Yield Grade</b>	S350
<b>Width</b>	1220mm & 1250mm as standard Bespoke widths on request.
<b>Length</b>	3000mm as standard Bespoke lengths from 1000mm - 6000mm
<b>Weight</b>	16.0kg/m <sup>2</sup>